




PSB Stonefruit Variety Profiles




PSB Stone Fruit Maturity Timing



Apricot

PSB Stone Fruit Maturity Timing



Mogador

Fruit Type: Apricot

Maturity: Very early, 62 days before San Castrese

Flowering time: Very early, self-fertile

Taste: Very good, well balanced, firm

Production: Medium

Tree: Good vigour, half opened carriage

Shape: Round, quite elongated

Firmness: Medium

Cracking: Quite resistant

Skin colour: Light red blush on an orange background



Flamenco Sweet (Totem)

Fruit Type: Apricot

Maturity: Colorado-cov +5 days

Flowering time: Colorado-cov period

Bloom set: High

Production: Medium

Tree: Strong, semi-open

Shape: Elongated

Firmness: Medium

Cracking: Yes

Skin colour: Light red, orange flesh

Size: A/AA

Organoleptic qualities: A/AA



Colorado

Fruit Type: Apricot

Maturity: Average 5th May

Flowering time: Average 25th February

Bloom set: High

Production: High

Tree: Strong, open

Shape: Elongated

Firmness: Medium

Cracking: Yes

Skin colour: Orange, orange flesh

Size: AA/A

Organoleptic qualities: AA/A



Flopria

Fruit Type: Apricot

Maturity: Average: 25th May

Flowering time: Average: 5th March

Bloom set: High

Production: High

Tree: Medium, semi-open

Self-fertile: Yes

Shape: Elongated

Firmness: Firm

Cracking: No

Skin colour: Orange, orange flesh

Size: AA

Organoleptic qualities: AA



Flamenco Dusk (Feugo)

Fruit Type: Apricot

Timing: Flopria-cov -10days

Flowering time: Flopria-cov period

Bloom set: Medium

Production: High

Tree: Strong, straight

Shape: Elongated

Firmness: Medium

Cracking: No

Skin colour: Red, orange flesh

Size: AA/3A

Organoleptic qualities: AA/3A



Mambo

Fruit Type: Apricot

Timing: Early, Colorado-cov +10 days

Flowering time: Early, Colorado-cov +5days

Bloom set: Good

Production: Very good

Tree: Vigorous, straight

Shape: Flattened

Firmness: Good

Cracking: Very little, in case of heavy rain

Skin colour: Orange background, with a lot of red plate

Size: AA/3A

Organoleptic qualities: Very good, balanced and aromatic



Rambo

Fruit Type: Apricot

Timing: Colorado-cov +4 days

Flowering time: Colorado-cov period

Bloom set: High

Production: High

Tree: Vigorous, semi-straight

Self-fertile: No

Pollinators: Colorado, Kosmos, Mikado, Pacha

Shape: Elongated

Firmness: Good, rustic

Cracking: No

Skin colour: Orange background, red plate

Size: AA

Organoleptic qualities: Very good, aromatic



Oscar

Fruit Type: Apricot

Timing: Milord-cov period

Flowering time: Flopria-cov +5days

Bloom set: Medium

Production: High

Tree: Strong, semi-open

Self-fertile: Yes

Shape: Round

Firmness: Firm

Cracking: No

Skin colour: Orange, orange flesh

Size: AA

Organoleptic qualities: AA



Milord

Fruit Type: Apricot

Timing: 15th July

Flowering time: Flopria-cov +5 days

Bloom set: High

Production: Medium

Tree: Strong, semi-open

Self-fertile: Yes

Shape: Elongated

Firmness: Firm

Cracking: No

Skin colour: Orange, orange flesh

Size: AA

Organoleptic qualities: AA



Sherpa

Fruit Type: Apricot

Timing: Late, +4 days Milord-cov

Flowering time: Semi-belated, Milord-cov

Bloom set: High

Production: Very good

Tree: Vigorous, semi-straight

Self-fertile: Yes

Shape: Oval, flattened

Firmness: Very good

Cracking: Little, in case of heavy rain

Skin colour: Orange background, red, attractive veneer

Size: AAA


Organoleptic qualities: Well balanced acid-sugar ratio



Flat Peach

PSB Stone Fruit Maturity Timing

-110 -100 -90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20



Flat Peach

Zodiac

Fruit Type: Flat Peach

Timing: Samantha-cov – 15days

Flowering time: Samantha-cov -20days

Bloom set: Medium

Production: High

Tree: Strong, semi-open

Shape: Flattened

Firmness: Firm

Cracking: No

Skin colour: Light red, white flesh

Size: A/B

Organoleptic qualities: A/B



Samantha

Fruit Type: Flat peach

Timing: Average: 30th May

Flowering time: Average: 25th February

Bloom set: High

Production: High

Tree: Strong, semi-open

Shape: Flattened

Firmness: Medium

Cracking: No

Skin colour: Light red, white flesh

Size: A/AA

Organoleptic qualities: A/AA



Contessa

Fruit Type: Flat Peach

Timing: Samantha-cov +10 days

Flowering time: Samantha-cov +5 days

Bloom set: Low

Production: High

Tree: Strong, semi-open

Shape: Flattened

Firmness: Very firm

Cracking: No

Skin colour: Deep red, white flesh

Size: A/AA

Organoleptic qualities: A/AA



Filoe

Fruit Type: Flat peach

Timing: Sweet Cap +5days

Flowering time: Sweet cap period

Bloom set: High

Production: High

Tree: Medium, semi-open

Shape: Flattened

Firmness: Very firm

Cracking: No

Skin colour: Light red, white flesh

Size: AA

Organoleptic qualities: AA



White Nectarine

PSB Stone Fruit Maturity Timing

-110 -100 -90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20



— Nectarine - White

Luna Bright (Garminata)

Fruit Type: Flat Peach

Timing: Flariva-cov -3days

Flowering time:

Bloom set: Flavela +8days

Production: Very good

Tree: Vigorous, semi-open

Shape: Round, without a point

Firmness: Firm

Cracking: No

Skin colour: Red uniform

Size: A-B

Organoleptic qualities: Good, balanced



Luna Blue (Boreal)

Fruit Type: Flat peach

Timing: Average: 25th May

Flowering time: Average: 10th February

Bloom set: High

Production: High

Tree: Strong, semi-open

Shape: Round

Firmness: Very firm

Cracking: No

Skin colour: Red, white flesh

Size: A/AA

Organoleptic qualities: A/AA



Luna Eclipse (Garcica)

Fruit Type: Flat Peach

Timing: Average: 15th June

Flowering time: Average: 1st March

Bloom set: High

Production: High

Tree: Strong, semi-open

Shape: Round

Firmness: Very firm

Cracking: No

Skin colour: Deep red, white flesh

Size: A/AA

Organoleptic qualities: A/AA



Flajima

Code: n43-20nb

Fruit Type: Flat peach

Timing: Very early

Flowering time: Very early

Bloom set: Medium

Production: Medium

Tree: Upright, weak vigour

Shape: Round

Firmness: Firm

Cracking: No

Skin colour: Dark red over greenish white

Tifany

Fruit Type: Flat Peach

Timing: Average: 25th July

Flowering time: 5th March

Bloom set: High

Production: High

Tree: Strong, semi-open

Shape: Elongated

Firmness: Very firm

Cracking: No

Skin colour: Light red, white flesh

Size: AA


Organoleptic qualities: AA



Yellow Nectarine

PSB Stone Fruit Maturity Timing

-110 -100 -90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20



— Nectarine - Yellow

Sol Rays (Gartella)

Fruit Type: Yellow Nectarine

Timing: Early, Flavela-cov +5days

Flowering time: Early

Bloom set: Good

Production: Very good

Tree: Vigorous, semi-open

Shape: Round, oval without a point

Firmness: Very good

Cracking: Weak, in case of heavy rain

Skin colour: Deep red, garnet colour

Size: A

Organoleptic qualities: Good, balanced



Flanoba

Fruit Type: Yellow Nectarine

Timing: Very early

Flowering time: Very early

Bloom set: Good

Production: Very good

Tree: Medium vigour, semi-upright

Shape: Round, oval without a point

Firmness: Soft

Skin colour: Dark red

Flariba

Fruit Type: Yellow nectarine

Timing: Average: 5th May

Flowering time: Average: 20th January

Bloom set: High

Production: Medium

Tree: Strong, semi-open

Shape: Elongated

Firmness: Medium

Cracking: Yes

Skin colour: Light red, yellow flesh

Size: B/A

Organoleptic qualities: B/A



Sol Candy (Garofa)

Fruit Type: Yellow Nectarine

Timing: Average 30th May

Flowering time: Average: 15th February

Bloom set: High

Production: High

Tree: Strong, semi-open

Shape: Round

Firmness: Firm

Cracking: Yes

Skin colour: Red, yellow flesh

Size: A/AA

Organoleptic qualities: A/AA



Copacobana

Fruit Type: Yellow nectarine

Timing: Flariba-cov +5 days

Flowering time: Flariba-cov +5days

Bloom set: High

Production: Medium

Tree: Strong, open

Shape: Round

Firmness: Firm

Cracking: No

Skin colour: Red, yellow flesh

Size: B/A

Organoleptic qualities: B/A



Garcima

Fruit Type: Yellow nectarine

Timing: Flariba-cov +10days

Flowering time: Flariba-cov -5days

Bloom set: High

Production: High

Tree: Strong, semi-open

Shape: Round

Firmness: Firm

Cracking: Yes

Skin colour: Red, yellow flesh

Size: A/AA

Organoleptic qualities: A/AA



Gartairo

Fruit Type: Yellow nectarine

Timing: Garofa-cov +5days

Flowering time: Garofa-cov +5days

Bloom set: High

Production: High

Tree: Strong, semi-open

Shape: Elongated

Firmness: Very firm

Cracking: No

Skin colour: Dark red

Size: A/AA

Organoleptic qualities: A/AA



Mombasa

Fruit Type: Yellow Nectarine

Timing: Big top – 5days

Flowering time: Big top period

Bloom set: Good

Production: Very good

Tree: Vigorous, half open

Shape: Round, elongated

Firmness: Very firm

Cracking: Low

Skin colour: Intense red blush on orange background

Size: AA-AAA

Organoleptic qualities:



Sol Bird (Gardeta)

Fruit Type: Yellow Nectarine

Timing: 5 days before Big Top

Flowering time: Mid-season

Bloom set: Very strong

Production: Very good

Tree: Vigorous, semi-upright

Shape: Round

Firmness: Very good

Cracking:

Skin colour: Bright red

Size: A/AA

Organoleptic qualities: Very good, sweet and aromatic



Luciana

Fruit Type: Yellow nectarine

Timing: Average: 1st July

Flowering time: Average: 5th March

Bloom set: Medium

Production: High

Tree: Strong, semi-open

Shape: Elongated

Firmness: Very firm

Cracking: No

Skin colour: Light red, yellow flesh

Size: AA

Organoleptic qualities: AA



Sol Eclipse (Clariss)

Fruit Type: Yellow Nectarine

Timing: Luciana-cov +10 days

Flowering time: Luciana-cov +10days

Bloom set: Medium

Production: High

Tree: Strong, semi-open

Shape: Round

Firmness: Very firm

Cracking: No

Skin colour: Deep red, yellow flesh

Size: A/AA

Organoleptic qualities: A/AA



Sol Dancer (Kinolea)

Fruit Type: Yellow Nectarine

Timing: Average: 5th August

Flowering time: Luciana-cov period

Bloom set: High

Production: High

Tree: Strong, semi-open

Shape: Elongated

Firmness: Very firm

Cracking: No

Skin colour: Orange, yellow flesh

Size: AA/3A

Organoleptic qualities: AA/3A



